



20" CLASSIC HOTCUPBOARD INDUCTION MODULE

MODEL: AHCIN



The AGA Induction Hotcupboard Module is an integrated solution providing additional cooking space with a simmering and warming oven. You'll have the ability to slow roast, slow cook, and keep food or plates warm prior to serving. The large induction cooking surface features touchpad controls and a host of features including power boost, child safety lock, and 9 power settings.

OVERVIEW

The AGA Classic 20" Hotcupboard Induction gives owners a versatile cooking experience using advanced technology. Designed for those who love the many benefits of induction cooking and who require additional ovens for warming and simmering foods. This integrated solution attaches to the left of any 3-oven AGA Total Control or AGA Dual Control.

The Hotcupboard features the iconic AGA signature look with cast iron doors and cast iron front. The large 14" H x 16 1/4" W Single-Zone Induction Cooktop operates separate from the hotcupboard, is energy efficient, safe to operate and easy to clean. Boasting both a Simmering oven and a Warming oven, the hotcupboard seamlessly integrates, giving the look of one large range.

SPECIFICATIONS


- · Product Dimensions: 36" H x 19 1/8" W x 27 ½" D
- · Shipping weight (lbs): 332 lbs (includes range, crate & pallet)

WARRANTY

· 1 Year Warranty for parts and labor, subsequent 4 years - parts only

FINISHES

• The AGA Classic is coated in hygienic, easy-to-clean vitreous enamel (Due to the custom nature of this product, please allow a minimum of 110 to 140 days lead time from receipt of order)



	Α	В	С	D	Е	F	G	н	J	К	L
mm	1478	951	913	680	1388				116	10	634
ins	581/4	37 1/2	36	263/4	545/a	291/6	451/a	271/2	4 %/16	3/8	25





20" CLASSIC HOTCUPBOARD INDUCTION MODULE



FEATURES

- · Iconic AGA signature look with cast iron doors, front and top.
- · Large 12"H x 12"W ceramic induction burner surface with a 9"H x 9"W defined pan area.
- Touch controls housed in the ceramic surface giving 10 Display Indicators and 9 Power Level settings including Power Boost, Residual Heat Indicator, a Timer and an Overheating Detector.
- · Child Lock function to keep little hands safe and a Pause Setting to briefly interrupt the cooking session.
- · Induction cooktop operates separate from the hotcupboard, is energy efficient, safe to operate and easy to clean.
- Simmering oven at the top of the hotcupboard is perfect for slow cooking meats giving you an additional slow cook oven when combined with any 3-oven AGA cast iron range.
- · Warming oven at the bottom is perfect for keeping dessert warm while eating your meal and also for warming plates prior to serving.
- · Seamless integration giving the look of one large range
- · Includes one large handle to complete the integrated look

CAST IRON BENEFITS

Acclaimed as one of the most perfect mediums for great cooking because it retains heat well, has even heat distribution and radiates a gentle heat aiding food in flavor retention and succulence.


Cast iron cooking means ease of cleaning because oven splashes and spills are carbonized and simply require wiping out. An AGA also means fewer intrusive cooking smells.

A large proportion of each cast iron AGA has been made from recycled material.

INDUCTION FEATURES

The large induction cooking surface features the following touch pad controls on its ceramic surface:

- Power Boost
- · Residual Heat Indicator
- · 9 Power Settings giving instant response
- · A Timer and Pause Feature
- · Overheating Detection
- · Child Safety Lock



Must integrate with an AGA Total Control or Dual Control

Specifications are subject to change without notice. Visit agarangeusa.com for the most up-to-date information.















Technical Specifications						
Overall Dimensions	36"H x 19 1/8"W x 27 1/2"D					
Cooktop Surface with Controls	16 ½"H x 14 ½"W					
1.Ceramic Induction Burner	12"H x 12"W					
Induction Defined Pan Area	9"H x 9"W					
2. Simmering Oven	10"H x 13 ³ / ₄ "W x 20 ¹ / ₄ "D					
3. Warming Oven	10"H x 13 ³ / ₄ "W x 20 ¹ / ₄ "D					
Weight	292 lbs					
Shipping Weight	332 lbs					
Electrical Requirements	240v, 15amp, 60Hz					
Fuel/Power	Electric					
Warranty	1 Year Limited Warranty on all parts and labor					
Shipping Instruction	Ships fully assembled in separate carton					

Must integrate with an AGA Total Control or Dual Control

Specifications are subject to change without notice. Visit agarangeusa.com for the most up-to-date information.